

## blaugelb Installation Screws

### Product information

A universal fastener for the dowelless, efficient assembly of components made of timber, uPVC, aluminum and timber/aluminum in various substrates (concrete, sand-lime brick, solid brick, timber, lightweight concrete, aerated concrete, high-hole brick).

### Product advantages

- approved and market-proven attachment
- universal application in many common building materials
- suitable for clamping
- tapered thread tip reduces screwing torque
- distance fixing without side locking

### Pan Head Installation Screw



Frame fixing pan head screw is particularly suitable for the following application:

- direct fastening for the tension-free installation of windows and doors
- suitable for all frame materials
- can be used without lateral distance blocking

| Product code | Description                | Driver | Thickness (mm) | Size (mm) | Packaging unit |
|--------------|----------------------------|--------|----------------|-----------|----------------|
| 0422314      | Window installation screws | TX30   | 7.5            | 62        | 100            |
| 0422319      | Window installation screws | TX30   | 7.5            | 82        | 100            |
| 0422321      | Window installation screws | TX30   | 7.5            | 102       | 100            |
| 0422325      | Window installation screws | TX30   | 7.5            | 122       | 100            |
| 0422329      | Window installation screws | TX30   | 7.5            | 152       | 100            |

Note: TX30 driver bit available for purchase - product code 0009075835.

### Bullet Head Installation Screw



Frame fixing bullet head screw is particularly suitable for the following application:

- direct fixing for the tension-free installation of windows and doors
- suitable for all frame materials
- can be used without lateral distance blocking
- preferably used in timber and timber/aluminum windows

| Product code | Description                | Driver | Thickness (mm) | Size (mm) | Packaging unit |
|--------------|----------------------------|--------|----------------|-----------|----------------|
| 0423709      | Window installation screws | TX30   | 7.5            | 62        | 100            |
| 0423711      | Window installation screws | TX30   | 7.5            | 82        | 100            |
| 0423713      | Window installation screws | TX30   | 7.5            | 102       | 100            |
| 0422715      | Window installation screws | TX30   | 7.5            | 122       | 100            |
| 0423717      | Window installation screws | TX30   | 7.5            | 152       | 100            |

Note: TX30 driver bit available for purchase - product code 0009075835.

## Window Installation Screws - Countersunk Head

### Product information

Small fixing head for flush finish.




| Product code | Description                | Driver | Size (mm) | Packaging unit |
|--------------|----------------------------|--------|-----------|----------------|
| 6606027407   | Window installation screws | TX30   | 7.5 x 82  | 100            |
| 6606027421   | Window installation screws | TX30   | 7.5 x 102 | 100            |
| 6606027435   | Window installation screws | TX30   | 7.5 x 122 | 100            |
| 6606027449   | Window installation screws | TX30   | 7.5 x 152 | 100            |
| 6606027456   | Window installation screws | TX30   | 7.2 x 182 | 100            |

Note: TX30 driver bit available for purchase - product code 0009075835.

**uPVC Window Installation Anchors - Turn In**

**Product information**

To aid in the installation of uPVC windows (1.2mm thick).



| Product code | Description                  | Dimension A (mm) | Profile   | Packaging unit |
|--------------|------------------------------|------------------|---|----------------|
| 66025000100  | Turn in installation bracket | 25.0             | Brugmann / Aluplast 7000 / Aluplast 8000                    | 1000           |
| 66028000100  | Turn in installation bracket | 28.0             | Salamander  | 1000           |
| 66032000100  | Turn in installation bracket | 32.0             | Gealan 3000 / Bluevolution                                  | 1000           |
| 66037000100  | Turn in installation bracket | 37.0             | Aluplast / LB / Wintech / Drutex / Decco 60 / Wital         | 1000           |
| 66041000100  | Turn in installation bracket | 41.0             | Schuco / Rehau / KBE 88+ / Trocal                           | 1000           |
| 66042500100  | Turn in installation bracket | 42.5             | Veka  | 1000           |
| 66044500100  | Turn in installation bracket | 44.5             | Gealan 8000/9000  | 1000           |
| 66044500100N | Turn in installation bracket | 44.5             | KBE 70 / Kommerling Euro / Inoutic Arcade / Inoutic E-Forte | 1000           |
| 66046000100  | Turn in installation bracket | 46.0             | Decco 70  | 1000           |
| 66048000100  | Turn in installation bracket | 48.0             | Profine 76  | 1000           |
| 66049000100  | Turn in installation bracket | 49.0             | Awangarde / Inoutic Prestige                                | 1000           |
| 66050000100  | Turn in installation bracket | 50.0             | Brugmann AD   | 1000           |

## uPVC Window Installation Anchors - Knock In

### Product information

Rotatable drop-in anchor fitting with 25mm width for different uPVC profiles, drilling through the window frame is not necessary. Fastening of the plate in the wall with different screws is possible.

### Product advantages

- the clamp can be easily driven into the window profile
- the fastening point in the wall can be freely positioned with the rotatable plate
- designed with one or two target bending points
- no hindrance in case of a thermally caused change in length of the window frame



| Product code | Description                        | Thickness (mm) | Length (mm) | Packaging unit |
|--------------|------------------------------------|----------------|-------------|----------------|
| 451-035      | Window anchor - Aluplast 2000-7000 | 1.25           | 150         | 250            |
| 455-016      | Window anchor - Aluplast 2000-7000 | 1.25           | 200         | 150            |
| 466-005      | Window anchor - Aluplast 2000-7000 | 2.00           | 260         | 150            |
| 451-033      | Window anchor - Deceuninck Zendow  | 1.25           | 150         | 250            |
| 455-005      | Window anchor - Deceuninck Zendow  | 1.25           | 200         | 200            |
| 466-033      | Window anchor - Deceuninck Zendow  | 2.00           | 260         | 150            |
| 450-037      | Window anchor - KBE 70mm           | 1.25           | 150         | 250            |
| 453-037      | Window anchor - KBE 70mm           | 1.25           | 200         | 150            |

## Timber Window Installation Anchors

### Product information

Grip points for locating on window, ideal for situations without a reveal.




| Product code | Description                 | Size (mm) | Packaging unit |
|--------------|-----------------------------|-----------|----------------|
| 102279675    | Window installation bracket | 140 x 19  | 1              |

## ALU Window Installation Anchors

### Product information

Turn and grip style for quick and easy installation.



| Product code | Description           | Dimension A (mm) | Profile                                      | Packaging unit |
|--------------|-----------------------|------------------|--|----------------|
| 66219000105  | Steady montage anchor | 16.5             | Schuco                                       | 250            |
| 66219000103  | Steady montage anchor | 18.5             | Aluplast / Aluprof / Ponzio / Yawal / Aluron | 250            |

## blaugelb Protect Window Installation Brackets

### Product information

Easily adjustable fastening system for timber, uPVC and aluminum windows, which can be installed all around at any required fastening point.



| Product code | Description           | Dimensions (mm) | Material         | Packaging unit |
|--------------|-----------------------|-----------------|------------------|----------------|
| 0428830      | Installation brackets | 150 x 50 x 2.5  | galvanised steel | 50             |
| 0428835      | Installation brackets | 220 x 50 x 2.5  | galvanised steel | 25             |
| 0428839      | Installation brackets | 280 x 50 x 2.5  | galvanised steel | 25             |
| 0428842      | Assembly key 13mm     | -               | galvanised steel | 1              |

## Soudal Gun Expanding Foam

### Product information

Polyurethane based insulation and filling foam which forms a permanent, air tight and waterproof bond to wood, metal, glass, masonry, polystyrene, concrete and most plastics (not on PE, PP). It is fitted with the revolutionary new Duravalve which ensures longer shelf life, non-clogging and higher yield per can.



| Product code | Description         | Size (ml) | Packaging unit |
|--------------|---------------------|-----------|----------------|
| 130278       | PU gun foam trigger | 750       | 12             |

## Soudal Foam Gun Cleaner

### Product information

Gun & foam cleaner is a ready to use cleaning aerosol can for use on Soudafoam Gun and Soudal foams.



| Product code | Description           | Size (ml) | Packaging unit |
|--------------|-----------------------|-----------|----------------|
| 106310       | PU gun & foam cleaner | 500       | 12             |

## Universal Positioning Spreader URP

### Product information

Precise, fast and failure-free window positioning during installation, enabling complete control of positioning and spreading force for uPVC, aluminium and timber windows.



| Product code | Description       | Material | Packaging unit |
|--------------|-------------------|----------|----------------|
| 800EMOURP    | Positioning wedge | plastic  | 100            |

## blaugelb Joint Sealing Tape 300

### Product information

Used for sealing strip joints and window installations, suitable for joint widths between 2-6mm, 5-12mm, and 9-20mm.




| Product code | Description                   | Joint width (mm) | Width (mm) | Length (m) | Packaging unit |
|--------------|-------------------------------|------------------|------------|------------|----------------|
| 0418855      | Installation compression tape | 2-6              | 15         | 12         | 20             |
| 0418858      | Installation compression tape | 5-12             | 20         | 5.6        | 15             |
| 0418860      | Installation compression tape | 9-20             | 20         | 3.3        | 15             |

## Flat Installation Profile

### Product information

Flat internal trim with adhesive strip.





| Product code | Description               | Width - A (mm) | Width - B (mm) | Colour | Packaging unit |
|--------------|---------------------------|----------------|----------------|--------|----------------|
| 0782025R     | Flat installation profile | 20             | 12             | white  | 150m roll      |
| 0783025R     | Flat installation profile | 30             | 15             | white  | 150m roll      |
| 0784025R     | Flat installation profile | 40             | 19             | white  | 150m roll      |
| 0785025R     | Flat installation profile | 50             | 19             | white  | 150m roll      |

## Kink Angle Installation Profile

### Product information

Kink angle trim with adhesive strip.



| Product code | Description                     | Size (mm) | Colour | Packaging unit |
|--------------|---------------------------------|-----------|--------|----------------|
| 0782525R     | Kink angle installation profile | 25 x 25   | white  | 150m roll      |
| 0782040R     | Kink angle installation profile | 20 x 40   | white  | 150m roll      |





## Window Carry Strap

### Product information

Easily secured with the preinserted self drilling screw, enables secure and slip resistant lifting.



| Product code | Description                                     | Dimensions (mm) | Carry weight (kg) | Packaging unit |
|--------------|---|-----------------|-------------------|----------------|
| GTCS001      | Carry strap with 4.2 x 25mm self drilling screw | 450 x 22        | up to 100         | 500            |